

Table 26. Gas Home Customer-Weighted Heating Degree-Days

Census Divisions	Cumulative November 1 through November 30				
	Normal ^a	2002	2003	Percent Change	
				Normal to 2003	2002 to 2003
New England					
CT, ME, MA, NH, RI, VT	702	746	645	-8.1	-13.5
Middle Atlantic					
NJ, NY, PA	664	690	557	-16.1	-19.3
East North Central					
IL, IN, MI, OH, WI	757	787	647	-14.5	-17.8
West North Central					
IA, KS, MN, MO, ND, NE, SD	841	833	803	-4.5	-3.6
South Atlantic					
DE, FL, GA, MD and DC, NC, SC, VA, WV	443	492	341	-23.0	-30.7
East South Central					
AL, KY, MS, TN	455	526	351	-22.9	-33.3
West South Central					
AR, LA, OK, TX	304	332	232	-23.7	-30.1
Mountain					
AZ, CO, ID, MT, NV, NM, UT, WY	739	697	755	2.2	8.3
Pacific ^b					
CA, OR, WA	365	301	400	9.6	32.9
U.S. Average ^b	589	598	527	-10.5	-11.9

^a Normal is based on calculations of data from 1961 through 1990.

^b Excludes Alaska and Hawaii.

Note: See Appendix A, Explanatory

Note 10 for discussion of Heating Degree-Days computations.

Sources: National Oceanic and Atmospheric Administration.